

Knobbe Martens Olson & Bear LLP

Intellectual Property Law

2040 Main Street
Fourteenth Floor
Irvine, CA 92614
Tel 949-760-0404
Fax 949-760-9502
www.kmob.com

Michael A. Guiliana
mguiliana@kmob.com

February 10, 2011

ATTN: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Re: **Title: WOUND IRRIGATION BASIN WITH ACTIVE DRAIN**
Letters Patent No. 7,785,303
Issued: August 31, 2010
Our Reference: TAPADI.003A


Dear Sir:

Please find enclosed for filing a Certificate of Correction in connection with the above-identified patent.

As the errors cited in the Certificate of Correction were incurred through the fault of the Patent Office, no fee is believed to be required. However, please charge our Deposit Account No. 11-1410 for any fees that may be incurred with this request.

Respectfully submitted,

Knobbe, Martens, Olson & Bear, LLP



Michael A. Guiliana
Registration No. 42,611
Customer No. 20995

Enclosures

10659949
021011

San Diego
858-836-9000

San Francisco
415-954-4114

Los Angeles
310-551-3450

Riverside
951-781-9231

Seattle
206-405-2000

Washington, DC
202-640-6400

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,785,303
APPLICATION NO. : 10/776083
ISSUE DATE : August 31, 2010
INVENTOR(S) : Dilip Tapadiya

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In Column 6, at Line 21, please change "liquids-such" to --liquids such--.

In Column 12, at Line 30 (Approx.), please change "a" to --19a--.

In Column 14, at Line 15, please change "example;" to --example,--.

In Column 26, at Line 29, before "than", please delete "K".

In Column 26, at Line 64, please change "0.54b" to --54b--.

In Column 32, at Line 62, please change "71a" to --71 a --.

10659999
021011

MAILING ADDRESS OF SENDER:

Michael A. Guiliana
KNOBBE, MARTENS, OLSON & BEAR, LLP
2040 Main Street, 14th Floor
Irvine, California 92614

DOCKET NO. TAPADI.003A